

SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



SAFETY DATA SHEET

FAM 30 [BPR]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	FAM 30 [BPR]
Product number	R067 EV
Internal identification	Livestock
Registration Number(s)	BPR Authorisation numbers: UK: GB-2019-1179-02 & NI-2019-1179-02 / Ireland: IE/BPA 70448-02-001 / Malta: 2019-09-24-B02
UFI	UFI: 1GRQ-8VWV-022E-65VT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Disinfectant for materials and surfaces associated with the housing or transportation of animals.
-----------------	---

1.3. Details of the supplier of the safety data sheet

Supplier	UK BPR Authorisation holder: Evans Vanodine International plc, Brierley Road, Walton Summit, Preston, PR5 8AH, UK. Tel: 01772 322 200. e-mail: productcompliance@evansvanodine.co.uk	EU Importer: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France. Tel: +33 (0)3 76 04 21 87.	EU BPR Authorisation holder: Evans Vanodine Europe 6-9 Trinity Street, Dublin 2. D02 EY47. Republic of Ireland.
----------	--	---	--

1.4. Emergency telephone number

Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thurs 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thurs 8.00am to 5.30pm
National emergency Telephone number	For Health Care Professionals only For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112


SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards	Met. Corr. 1 - H290
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



FAM 30 [BPR]

Signal word	Danger
Hazard statements	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	P102 Keep out of reach of children. P101 If medical advice is needed, have product container or label at hand. P260 Do not breathe mist. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P273 Avoid release to the environment. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P363 Wash contaminated clothing before reuse. P391 Collect spillage. P405 Store locked up.
Contains	SULPHURIC ACID & PHOSPHORIC ACID
Supplementary precautionary statements	P501 Dispose of contents/ container in accordance with local regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients3.2. Mixtures

ALCOHOL (C9-11) ETHOXYLATE (8EO)	20-25%
CAS number: 68439-46-3	
Alternative CAS Nos 160875-66-1, 68439-45-2	
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
SULPHURIC ACID	5-10%
CAS number: 7664-93-9 EC number: 231-639-5	
Spec Conc Limits :- Skin Corr. 1A (H314) ≥ 15 %, Skin Irrit.2 (H315) >5% <15 %, Eye Irrit. 2 (H319) >5%<15%	
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
PHOSPHORIC ACID	5-10%
CAS number: 7664-38-2 EC number: 231-633-2	
Spec Conc Limits :- Skin Corr. 1B (H314) ≥ 25%, Skin Irrit. 2 (H315) >10% <25%, Eye Irrit. 2 (H319) >10%	
Classification	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	

FAM 30 [BPR]

IODINE	1-3%
CAS number: 7553-56-2	EC number: 231-442-4
M factor (Acute) = 1	
BPR +H410, M factor (Chronic) =1	
Classification Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400	

The Full Text for all Hazard Statements are Displayed in Section 16.

Composition comments Classification is by Calculation. Plus BPR imposed H & P statements.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances:
Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

FAM 30 [BPR]

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Usage precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

Advice on general occupational hygiene Cover feed and water troughs during product application.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials. Alkalis. Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure controls/Personal protection**8.1. Control parameters Occupational exposure limits****SULPHURIC ACID**

Long-term exposure limit (8-hour TWA): WEL 0,05 mg/m³

Short-term exposure limit (15-minute): WEL

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

IODINE

Short-term exposure limit (15-minute): WEL 0.1 ppm 1.1 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



FAM 30 [BPR]

Appropriate engineering controls	This product must not be handled in a confined space without adequate ventilation.
Personal protection	The following recommendations are based on conditions specified in BPR Authorisation.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.
Other skin and body protection	Wear protective clothing. (a protective coverall at least type 4, EN 14605).
Respiratory protection	Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Clear. Dark brown.
Odour	Faint surfactant / Faint Iodine.
pH	pH (concentrated solution): 0.0
Melting point	-2°C
Initial boiling point and range	102°C @ 760 mm Hg
Flash point	Boils without flashing.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.170 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not available.

9.2. Other information

Other information	None.
Particle size	Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Reacts with alkalis and generates heat.
------------	---

10.2. Chemical stability

Stability	No particular stability concerns.
-----------	-----------------------------------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	See sections 10.1, 10.4 & 10.5
------------------------------------	--------------------------------

FAM 30 [BPR]

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Aluminium, Tin, Zinc and their alloys. Concentrated alkaline materials. Chlorine releasing materials will liberate toxic chlorine gas. Oxidising agents as Iodine vapour may be evolved.

10.6. Hazardous decomposition products

Hazardous decomposition products When heated, vapours/gases hazardous to health may be formed.

SECTION 11: Toxicological information11.1. Information on toxicological effects

Toxicological effects Figures quoted below were from ATE (Acute Toxicity Estimate) Calculation Methods using LD50 or ATE figures provided by the raw material manufacturer.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 2,310.88

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 50,179.99

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 387.35

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Summary Not applicable.

Skin sensitisation

Summary Not applicable.

Germ cell mutagenicity

Summary Not applicable.

Carcinogenicity

Summary Not applicable.

Reproductive toxicity

Summary Not applicable.

Specific target organ toxicity - single exposure

Summary Not applicable.

Specific target organ toxicity - repeated exposure

Summary Not applicable.

Aspiration hazard

Summary Not applicable.

FAM 30 [BPR]

General information The "Not Applicable" assigned in this section is due to the fact that the Classification is done by the "Calculation Method" and not by animal testing so have no figures to quote in this section.

11.2. Information on other Hazards None known.

11.2.1 Endocrine disrupting properties None known.

SECTION 12: Ecological information

Ecotoxicity BPR = Toxic to aquatic life with long lasting effects. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

12.1. Toxicity

Toxicity No Aquatic Toxicity Data for this product. Any data for ingredients with aquatic toxicity provided by the raw material manufacturer can be made available on request.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended). and UK Regulation: SI 2020 No. 1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties None known.

12.7. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods At the end of the treatment used solutions can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an on-site waste water treatment plant.

Dispose unused product and the packaging in accordance with local and/or national requirements. Avoid release to an on-site waste-water treatment plant.

FAM 30 [BPR]

SECTION 14: Transport information14.1. UN number

UN No. (ADR/RID)	3264
UN No. (IMDG)	3264
UN No. (ICAO)	3264

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)
Proper shipping name (IMDG)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)
Proper shipping name (ICAO)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)

14.3. Transport hazard class(es)

ADR/RID class	Class 8 : Corrosive Substances.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.
Transport labels	

14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

14.6. Special precautions for user

EmS	F-A, S-B
Tunnel restriction code	(E)

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL And the IBC Code Not relevant for a packaged product.

FAM 30 [BPR]

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation

Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

EU Reg: REGULATION (EU) No 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2012 concerning the making available on the market and use of biocidal products. [BPR] & UK Reg: SI 2020 No. 1567 "The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020".

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance.
 vPvB: Very Persistent and Very Bioaccumulative.
 ATE: Acute Toxicity Estimate.
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 IMDG: International Maritime Dangerous Goods.
 ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.
 GHS: Globally Harmonized System.
 Spec Conc Limits = Specific Concentration Limits.
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).
 BPR: Biocidal Product Regulation

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
 Aquatic Acute = Hazardous to the aquatic environment (acute)
 Eye Dam. = Serious eye damage
 Eye Irrit. = Eye irritation
 Skin Corr. = Skin corrosion
 Skin Irrit. = Skin irritation
 STOT SE = Specific target organ toxicity-single exposure

Key literature references and sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.

Classification procedures

Calculation Method. Plus BPR imposed H & P statements.

FAM 30 [BPR]

Revision comments	Added NI BPR Auth No. & UK → GB. Also New Evans Logo & EU Address - No change in Product Classification. (Changes made to sections 1+16)
Revision date	01/10/2024
Revision	5
	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.