

SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



SAFETY DATA SHEET VANODOX FORMULA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	VANODOX FORMULA
Product number	R047 EV
Internal identification	Livestock
UFI	UFI: 17T2-1GHD-HU4Q-HXWG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Peracetic Acid based Liquid disinfectant.
-----------------	---

1.3. Details of the supplier of the safety data sheet

Supplier	UK Supplier: Evans Vanodine International plc, Brierley Road, Walton Summit, Preston, PR5 8AH, UK. Tel: 01772 322 200. e-mail: productcompliance@evansvanodine.co.uk	EU Supplier: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France. Tel: +33 (0)3 76 04 21 87.
----------	---	--

1.4. Emergency telephone number

Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thurs 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thurs 8.00am to 5.30pm
National emergency Telephone number	For Health Care Professionals only For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards	Ox. Liq. 3 - H272 Met. Corr. 1 - H290
Health hazards	Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335
Environmental hazards	Aquatic Chronic 1 - H410

2.2. Label elements

Hazard pictograms



Signal word

Danger

VANODOX FORMULA

Hazard statements	<p>H272 May intensify fire; oxidiser.</p> <p>H290 May be corrosive to metals.</p> <p>H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H335 May cause respiratory irritation.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P261 Avoid breathing mist.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P220 Keep away from combustible materials.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P315 Get immediate medical advice/ attention.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
Supplemental label information	EUH071 Corrosive to the respiratory tract.
Contains	HYDROGEN PEROXIDE SOLUTION, ACETIC ACID & PERACETIC ACID.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HYDROGEN PEROXIDE SOLUTION 20-25% CAS number: 7722-84-1 EC number: 231-765-0 Spec Conc Limits :- Ox. Liq. 1 (H271) >=70%, Ox. Liq. 2 (H272) >=50% <70%, Skin Corr. 1A (H314) >=70%, Skin Corr. 1B (H314) >=50% <70%, Skin Irrit. 2 (H315) >=35% <50%, STOT SE 3 (H335) >=35%, Eye Dam. 1 (H318) >=8% <50%, Eye Irrit. 2 (H319) >=5% <8%
Classification Ox. Liq. 1 - H271 Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Chronic 3 - H412

VANODOX FORMULA

ACETIC ACID	10-15%
CAS number: 64-19-7	EC number: 200-580-7
Spec Conc Limits :- Skin Corr. 1A (H314) >=90%, Skin Corr. 1B (H314) >=25% <90%, Skin Irr. (H315) >=10% <25%, Eye Irr. 2 (H319) >=10% <25%	
Classification Flam. Liq. 3 - H226 Skin Corr. 1A - H314 Eye Dam. 1 - H318	
PERACETIC ACID ...%	5-10%
CAS number: 79-21-0	EC number: 201-186-8
M factor (Acute) = 1	M factor (Chronic) = 10
Spec Conc Limits :- STOT SE 3 (H335) >=1%	
Classification Flam. Liq. 3 - H226 Org. Perox. D - H242 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
ALCOHOL (C9-11) ETHOXYLATE (8EO)	1-3%
CAS number: 68439-46-3	
Alternative CAS Nos 160875-66-1, 68439-45-2	
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	

The Full Text for all Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

VANODOX FORMULA

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway. Coughing, chest tightness, feeling of chest pressure.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

4.3. Indication of any immediate medical attention and special treatment needed Notes

for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Oxidising - Supports combustion. Extinguish with the following media: Water spray. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards Oxidising. The product increases the risk of fire and may accelerate combustion. Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. Avoid inhalation of vapours.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

VANODOX FORMULA

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place. Protect from light. Store away from the following materials: Flammable/combustible materials. Alkalis. & Common metals.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters Occupational exposure limits

HYDROGEN PEROXIDE SOLUTION

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1,4 mg/m³

Short-term exposure limit (15-minute): WEL 2 ppm 2,8 mg/m³ WEL =

Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls This product must not be handled in a confined space without adequate ventilation.

Eye/face protection The following protection should be worn: Chemical splash goggles or face shield.

Hand protection Wear protective gloves. Polyvinyl chloride (PVC).

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Clear. Colourless.
Odour	Acetic acid.
pH	pH (concentrated solution): 1.40
Melting point	-28°C
Initial boiling point and range	Technically not feasible.
Flash point	Technically not feasible.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not available.

VANODOX FORMULA

Vapour density	Not available.
Relative density	1.100 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	>=60°C Self-Accelerating decomposition temperature (SADT).
Viscosity	Not available.

9.2. Other information

Other information	None.
Particle size	Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Reacts with alkalis and generates heat. The following materials may react strongly with the product: Alkaline earth metals. Powdered metal.
------------	---

10.2. Chemical stability

Stability	Inadequately vented containers may become pressurised.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous	See sections 10.1, 10.4 & 10.5 reactions
--------------------------	--

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight. Keep at temperature not exceeding 30°C.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Strong acids. Aluminium, Tin, Zinc and their alloys.
--------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition	Oxygen. When heated, vapours/gases hazardous to health may be formed. products
-------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
-----------------------	--

Acute toxicity - oral

Notes (oral LD ₅₀)	Classification criteria has been met – Product is classified as Harmful if Swallowed.
--------------------------------	---

ATE oral (mg/kg)	1,291.24
------------------	----------

Acute toxicity - dermal

Notes (dermal LD ₅₀)	Classification criteria has been met – Product is classified as Harmful in contact with skin.
----------------------------------	---

ATE dermal (mg/kg)	1,100.0
--------------------	---------

Acute toxicity - inhalation

VANODOX FORMULA

Notes (inhalation LC₅₀) Classification criteria has been met – Product is classified as Harmful if Inhaled.

ATE inhalation (vapours mg/l) 11.0

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Summary Not applicable.

Skin sensitisation

Summary Not applicable.

Germ cell mutagenicity

Summary Not applicable.

Carcinogenicity

Summary Not applicable.

Reproductive toxicity

Summary Not applicable.

Specific target organ toxicity - single exposure

STOT - single exposure May cause respiratory irritation.

Target organs Respiratory system, lungs

Specific target organ toxicity - repeated exposure

Summary Not applicable.

Aspiration hazard

Summary Not applicable.

11.2. Information on other None known.
Hazards

11.2.1 Endocrine disrupting None known.
properties

SECTION 12: Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability This product, at use dilutions, is readily broken down in biological effluent treatment plants.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

12.4. Mobility in soil

VANODOX FORMULA

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties None known.

12.7. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3149

UN No. (IMDG) 3149

UN No. (ICAO) 3149

14.2. UN proper shipping name

Proper shipping name (ADR/RID) HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED

Proper shipping name (IMDG) HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED

Proper shipping name (ICAO) HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED

14.3. Transport hazard class(es)

ADR/RID class Division 5.1: Oxidising substances.

ADR/RID subsidiary risk Class 8: Corrosive substances.

ADR/RID label 5.1 & 8

IMDG class Division 5.1: Oxidising substances.

IMDG subsidiary risk Class 8: Corrosive substances.

ICAO class/division Division 5.1: Oxidising substances.

ICAO subsidiary risk Class 8: Corrosive substances.

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

VANODOX FORMULA

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-H, S-Q

Tunnel restriction code (E)

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not relevant for a packaged product.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020."

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

For the Northern Ireland and EU markets: this product falls under Regulation (EU) 2019/1148 of 20 June 2019 on the marketing and use of explosives precursors. **Proof of identity, customer details and intended use data are required from each customer every 12 months.**

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

VANODOX FORMULA

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG: International Maritime Dangerous Goods. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits.</p>
Classification abbreviations and acronyms	<p>Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Org. Perox. = Organic peroxide Ox. Liq. = Oxidising liquid Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure</p>
Key literature references and sources for data	<p>Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.</p>
Classification procedures	<p>Calculation Method.</p>
Revision comments	<p>Addition of Regulation (EU) 2019/1148 to Sec 15. Also New Evans Logo & EU Address - No change in Product Classification. (Changes made to sections 1,15+16)</p>
Revision date	<p>09/07/2024</p>
Revision	<p>9</p>
Hazard statements in full	<p>The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.</p> <p>H226 Flammable liquid and vapour. H242 Heating may cause a fire. H271 May cause fire or explosion; strong oxidiser. H272 May intensify fire; oxidiser. H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.</p>